

SCHIFF HARDIN LLP
A Partnership Including Professional Corporations
6600 Sears Tower, Chicago, Illinois 60606-6473 • (312) 258-5500
Facsimile (312) 258-5700

RECEIVED
CENTRAL FAX CENTER

NOV 08 2005

ATTORNEY NO.: 1687
CLIENT/MATTER NO.: 30566-0061
DATE: November 8, 2005

FACSIMILE TRANSMITTAL SHEET

TO THE FOLLOWING:

Name	Company	Fax Number	Phone Number
EXAMINER XIUQIN. SUN	United States Patent Office Group 2683	(571) 273-8300	

FROM: Steven H. Noll DIRECT DIAL NO.: (312) 258-5790

Transmission consists of cover sheet plus 7 page(s).

If there are any problems with this transmission, please call Donna Morgan at (312) 258-4972.

COMMENTS:

ERIK CARDELIUS ET AL "APPARATUS AND METHOD FOR CALIBRATING A
RESISTANCE THERMOMETER AND GAS ANALYZER EMPLOYING SAME", FILED
MARCH 1, 2004, USSN 10/790,587, OUR CASE No. P04,0024, (30566-0061)

AMENDMENT "C"

IMPORTANT - THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED, AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, OR THE EMPLOYEE OR AGENT RESPONSIBLE TO DELIVER IT TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT READING, DISSEMINATING, DISTRIBUTING OR COPYING THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE, AND RETURN THE ORIGINAL MESSAGE TO US AT THE ABOVE ADDRESS VIA THE U.S. POSTAL SERVICE. THANK YOU

(For Internal Use Only) PLEASE RETURN THIS DOCUMENT TO:

Name: Steven H. Noll
SENT OUT:
Date: _____ Time: _____ A.M./P.M.
By: _____
CHI\4007266.1

Transmittal Problems:

☐ Constant Busy
☐ Constant Ringing
☐ Bad Line
☐ Equipment Problem

Time

BEST AVAILABLE COPY

NOV. 8.2005 10:49AM SCHIFF HARDIN

RECEIVED
CENTRAL FAX CENTER

NO. 324 P. 2/8

NOV 08 2005

TELEPHONE (312) 258-5500

SCHIFF, HARDIN LLP

PATENT DEPARTMENT

6600 SEARS TOWER

233 SOUTH WACKER DRIVE

CHICAGO, ILLINOIS 60606

GROUP ART UNIT: 2863

EXAMINER: Xiuqin. Sun

CONFIRMATION NO.: 9603

In re application of: Cardelius et al.

SERIAL NO.: 10/790,587

FILED: March 1, 2004

TITLE: APPARATUS AND METHOD FOR CALIBRATING A RESISTANCE THERMOMETER AND GAS ANALYZER EMPLOYING SAME

AMENDMENT "C"

MAIL STOP AF

Commissioner for Patents

P.O. Box 1450

Alexandria, Virginia 22313-1450

SIR:

Transmitted herewith is an amendment in the above-identified application.

☒ No additional fee is required.

The fee has been calculated as shown below.

CLAIMS AS AMENDED						
	(2) CLAIMS REMAINING AFTER AMENDMENT		(4) HIGHEST NO. PREVIOUSLY PAID FOR	(5) PRESENT EXTRA	(6) RATE	(7) ADDITIONAL FEE
TOTAL CLAIMS	*4	MINUS	**20	X	() X 9.00 () X 18.00	
INDEP. CLAIMS	*2	MINUS	3	X	() X 42.00 () X 84.00	
Application amended to contain any multiple dependent claims not previously paid for.				() YES () NO	() \$140.00 () \$280.00 ONE TIME	
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT						\$0.00

- ** If the entry in Column 2 is less than the entry in Column 4, write "0" in Column 2.
- ☐ If the "Highest Number Previously Paid For" in THIS SPACE is less than 20 write "20" in this space.
- ☐ Applicants petition the Commissioner of Patents and Trademarks to extend this time for response to the Office Action dated _____ for _____ months so that the period for response is extended to _____. A check in the amount of \$_____ is attached to cover the cost of the extension. Any deficiency or overpayment should be charged or credited to deposit account No. 501519. A duplicate copy of this sheet is enclosed.
- ☐ A check in the amount of \$_____ is attached.
- ☐ A check for \$_____ accompanying IDS under 37 CFR 1.97(c) is attached.
- ☐ A check for \$_____ and Petition for Consideration of IDS under 37 CFR 1.97(d) is attached.
- ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or to credit any overpayment to account No. 501519. A duplicate of this sheet is enclosed.
- When phoning re this application, please call (312) 258-5500.

SCHIFF, HARDIN LLP (Customer Number: 26574)

BY Steven H. Noll (28,982)I hereby certify this correspondence is being transmitted by facsimile on November 8, 2005 by transmittal to telefax no. (312) 273-8300.

STEVEN H. NOLL

NAME OF APPLICANT'S ATTORNEY

Steven H. Noll

SIGNATURE

November 8, 2005

DATE

CHI\4370781.1

BEST AVAILABLE COPY

NOV. 8.2005 10:49AM SCHIFF HARDIN

NO.324 P.3/8

TELEPHONE (312) 258-5500

SCHIFF, HARDIN LLP

PATENT DEPARTMENT

6600 SEARS TOWER

233 SOUTH WACKER DRIVE

CHICAGO, ILLINOIS 60606

GROUP ART UNIT: 2863

In re application of: Cardelius et al.

SERIAL NO.: 10/790,587

EXAMINER: Xuguin. Sun

FILED: March 1, 2004

CONFIRMATION NO.: 9603

TITLE: APPARATUS AND METHOD FOR CALIBRATING A RESISTANCE THERMOMETER AND GAS ANALYZER EMPLOYING SAME

AMENDMENT "C"

MAIL STOP AT

Commissioner for Patents

P.O. Box 1450

Alexandria, Virginia 22313-1450

SIR:

Transmitted herewith is an amendment in the above-identified application.

☒ No additional fee is required.

The fee has been calculated as shown below.

CLAIMS AS AMENDED						
	(2) CLAIMS REMAINING AFTER AMENDMENT		(4) HIGHEST NO. PREVIOUSLY PAID FOR	(5) PRESENT EXTRA	(6) RATE	(7) ADDITIONAL FEE
TOTAL CLAIMS	*4	MINUS	**20	X	() X 9.00 () X 18.00	
INDEP. CLAIMS	*2	MINUS	3	X	() X 42.00 () X 84.00	
Application amended to contain any multiple dependent claims not previously paid for.				() YES () NO	() \$140.00 () \$280.00 ONE TIME	
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT						\$0.00

* If the entry in Column 2 is less than the entry in Column 4, enter "0" in Column 5.

**

If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20 write "20" in this space.

- ☐ Applicants petition the Commissioner of Patents and Trademarks to extend this time for response to the Office Action dated _____ for _____ months so that the period for response is extended to _____. A check in the amount of \$_____ is attached to cover the cost of the extension. Any deficiency or overpayment should be charged or credited to deposit account No. 501519. A duplicate copy of this sheet is enclosed.
- ☐ A check in the amount of \$_____ is attached.
- ☐ A check for \$_____ accompanying IDS under 37 CFR 1.97(c) is attached.
- ☐ A check for \$_____ and Petition for Consideration of IDS under 37 CFR 1.97(d) is attached.
- ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or to credit any overpayment to account No. 501519. A duplicate of this sheet is enclosed.
- When phoning re this application, please call (312) 258-5500.

SCHIFF, HARDIN LLP (Customer Number: 26574)

BY Steven H. Noll (28,982)

I hereby certify this correspondence is being transmitted by facsimile on November 8, 2005 by transmittal to telefax no. (571) 273-8300.

STEVEN H. NOLL
NAME OF APPLICANT'S ATTORNEY
Steven H. Noll
SIGNATURE
November 8, 2005
DATE

CHI\4370781.1

NOV 08 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

AMENDMENT "C"

APPLICANTS: Cardelius et al. GROUP ART UNIT: 2863
SERIAL NO.: 10/790,587 EXAMINER: Xiuqin. Sun
FILED: March 1, 2004 CONFIRMATION NO.: 9603
TITLE: APPARATUS AND METHOD FOR CALIBRATING A
RESISTANCE THERMOMETER AND GAS ANALYZER
EMPLOYING SAME

MAIL STOP AF
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

S I R:

In response to the Office Action dated August 11, 2005, Applicants herewith
amend the application as follows.